

## PSEN rs2.0-175

570303



Rope pull switch incl. E-STOP pushbutton, plastic housing, 2xNC+2xNO contacts, 175 N max. spring force.

## Technical details

### General data

Approval: CE, BG, cCSAus

### Technical data

#### Relay outputs

Utilisation cat. AC15/DC13sta.: EN 60947-5-1

Voltage AC15 safety cont.: 240 V

Max. current AC15 safety cont.: 3 A

### Environmental data

Ambient temperature: -25 - 70 °C

### Mechanical data

Housing material lower section: PA

Housing material upper part: PA

Material actuator: Zn die cast

Connection terminal: Cage clamp terminal

Height dimension: 76.8 mm

Width dimension: 294 mm

Depth dimension: 42.5 mm

Net weight: 680 g

Gross weight: 775 g

### Environment

|                                |                                |
|--------------------------------|--------------------------------|
| RoHS directive:                | 2011/65/EU, 2015/863/EU        |
| RoHS conformity:               | yes                            |
| RoHS exceptions:               | yes                            |
| RoHS except.s acc. to direct.: | 6a, 6b                         |
| REACH compliance:              | contains min. 1 SVHC-substance |
| REACH included substances:     | Lead                           |
| %-part of the pollutant:       | > 0,1                          |
| CAS No.:                       | 7439-92-1                      |
| WEEE classification (08/2018): | 5 devices (feed size < 50cm)   |
| Commercial data                |                                |
| ECLASS version:                | ECLASS-9.1                     |
| ECLASS Reference Feature:      | 27270607                       |
| ETIM Version:                  | ETIM-7.0                       |
| ETIM Reference Group:          | EG000017                       |
| ETIM Reference Feature:        | EC002033                       |

## Optional accessories



380706

PDP67 cable M12-5sm, 10m



380707

PDP67 cable M12-5sm, 20m



380705

PDP67 cable M12-5sm, 3m



570314

PSEN rs rope d3/d4 50m



380708

PDP67 cable M12-5sm, 30m



570315

PSEN rs rope d3/d4 100m



570312

PSEN rs pulley 75



570313

PSEN rs pulley flex



570310

PSEN rs spring 175



773600

PDP67 F 8DI ION



570311

PSEN rs spring 300



570793

PSEN cable 200m-8x0.25mm<sup>2</sup>